

Performance Review (NPR) and Government Performance and Results Act (GPRA). Responses to the surveys will meet the needs of ITA performance measures based on NPR and GPRA guidelines. These performance measures will serve as a basis for justifying and allocating human and financial resources.

Survey responses will acquaint ITA managers with firms' perceptions and assessments of export-assistance products and services. Also, the survey will enable ITA to track the performance of overseas posts. This information is critical for improving the programs. Survey responses are used to assess client satisfaction, assess priorities, and identify areas where service levels and benefits differ from client expectations. Clients benefit because the information is used to improve services provided to the public. Without this information, ITA is unable to systematically determine client perceptions about the quality and benefit of its export-promotion programs.

Affected Public: ITA clients that purchased products or services.

Frequency: On occasion.

Respondent's Obligation: Voluntary.

OMB Desk Officer: David Rostker, (202) 395-7340.

Copies of the above information collection can be obtained by calling or writing Linda Engelmeier, Department Forms Clearance Officer, (202) 482-3272, Department of Commerce, Room 5327, 14th and Constitution Avenue, NW, Washington, DC 20230.

Written comments and recommendations for the proposed information collection should be sent to David Rostker, OMB Desk Officer, Room 10202, New Executive Office Building, Washington, DC 20503.

Dated: January 8, 1999.

Linda Engelmeier,

Department Forms Clearance Officer, Office of Chief Information Officer.

[FR Doc. 99-765 Filed 1-12-99; 8:45 am]

BILLING CODE 3510-FF-P

DEPARTMENT OF COMMERCE

Materials Technical Advisory Committee; Notice of Open Meeting

The Materials Technical Advisory Committee (MTAC) will meet on January 27, 1999, 10:30 a.m., in the Herbert C. Hoover Building, Room 3884, 14th Street between Constitution & Pennsylvania Avenues, NW, Washington DC. The Committee advises the Office of the Assistant Secretary for

Export Administration with respect to technical questions that affect the level of export controls applicable to advanced materials and related technology.

Agenda

1. Opening remarks.
2. Election of a Co-Chair.
3. Discussion of the Biological Weapons Convention implementation protocol.
4. Presentation of papers or comments by the public.

The meeting will be open to the public and a limited number of seats will be available. Reservations are not required. To the extent that time permits, members of the public may present oral statements to the Committee. Written statements may be submitted at any time before or after the meeting. However, to facilitate distribution of public presentation materials to Committee members, the Committee suggests that presenters forward the public presentation materials to the following address: Ms. Lee Ann Carpenter, Advisory Committees MS: 3886C 15th St. & Pennsylvania Ave., NW, U.S. Department of Commerce, Washington, DC 20230.

For more information contact Lee Ann Carpenter on (202) 482-2583.

Dated: January 7, 1999.

Lee Ann Carpenter,

Committee Liaison Officer.

[FR Doc. 99-770 Filed 1-12-99; 8:45 am]

BILLING CODE 3510-33-M

DEPARTMENT OF COMMERCE

Foreign-Trade Zones Board

[Docket 1-99]

Foreign-Trade Zone 72—Indianapolis, IN; Application for Subzone; Tetra Pak Parts Americas, Inc. (Distribution of Parts for Liquid Food Processing and Packaging Equipment), Greenwood, IN

An application has been submitted to the Foreign-Trade Zones Board (the Board) by the Indianapolis Airport Authority, grantee of FTZ 72, requesting special-purpose subzone status for the liquid food processing and packaging equipment parts distribution facility of Tetra Pak Parts Americas, Inc. (Tetra Pak), located in Greenwood, Indiana, some 10 miles south of Indianapolis. The application was submitted pursuant to the provisions of the Foreign-Trade Zones Act, as amended (19 U.S.C. 81a-

81u), and the regulations of the Board (15 CFR part 400). It was formally filed on January 6, 1999.

The Tetra Pak facility (10,784 sq. ft. on .3 acres) is located at 200 South Park Blvd., Greenwood, Indiana. The facility (14 employees) is used for storage, inspection, packaging and distribution of a wide variety of parts and components for liquid food processing and packaging equipment. The products are distributed throughout North, Central and South America. About 80 percent of the parts are sourced from abroad and over 65 percent are exported. No authority is being sought for activity conducted under FTZ procedures that would result in a change in tariff classification.

Zone procedures would exempt Tetra Pak from Customs duty payments on foreign parts that are reexported. On its domestic sales, the company would be able to defer duty payments until merchandise is shipped from the facility. The application indicates that the savings from zone procedures would help improve the facility's international competitiveness.

In accordance with the Board's regulations, a member of the FTZ staff has been appointed examiner to investigate the application and report to the Board.

Public comment is invited from interested parties. Submissions (original and 3 copies) shall be addressed to the Board's Executive Secretary at the address below. The closing period for their receipt is March 15, 1999. Rebuttal comments in response to material submitted during the foregoing period may be submitted during the subsequent 15-day period March 29, 1999.

A copy of the application and accompanying exhibits will be available for public inspection at each of the following locations:

U.S. Department of Commerce Export Assistance Center, 11405 N. Pennsylvania St., Ste 106, Carmel, Indiana 46032

Office of the Executive Secretary, Foreign-Trade Zones Board, Room 3716, U.S. Department of Commerce, 14th & Pennsylvania Avenue, N.W., Washington, DC 20230.

Dated: January 6, 1999.

Dennis Puccinelli,

Acting Executive Secretary.

[FR Doc. 99-695 Filed 1-12-99; 8:45 am]

BILLING CODE 3510-DS-P